


Attachments Catalog

FOR **BACKHOE** LOADER



Save your mone

THINK BIG! HOLD THE WORLD

Gülmak İstif Makinaları was founded by Selim Gül in 1968 to provide maintenance activities for forklift trucks and construction machineries.

Defining it is product sections under the brand name of "Wagger Attachments" in 2004, the company gained speed that enable itself to offer quality forklift and telehandler attachments in local and global markets of material handling sector. Wagger has a company vision of finding cost effective solutions for its customers with a short lead time by aiming the satisfaction of its customers, dealers and employees. Today Wagger Attachments is still a family running business and is proud of being the leader attachment manufacturer in Turkey.


















GBK



СТА



GRK



QСР

SUPER QUICK COUPLER

JBK



DMB

GPH



SBK



RTH



AX1



AGR



AX2



PLG



TDB





www.wagger.com.tr

TGA



LOA DER

YKD





WAGGER ATTACHMENTS KEEP YOU PRODUCTIVEALL YEAR ROUND

INDEX

BACKHOE ATTACHMENTS

BH / HSB	Quick Coupler - Backhoe	_ 7
BH / GPH	Excavator Buckets - General Purpose	8
BH / GPG	Excavator Buckets - Heavy Duty	. 8
BH / DMB	Ditch Maintenance Bucket	9
BH/TDB	Tapered Ditch Buckets	9
BH / GBK	Grading Buckets	10
BH / JBK	Jaw Buckets	. 10
BH / SBK	Swinger Buckets - 90 Left 90 Right	. 11
BH / CTA	Concrete Breakers	_ 11
BH / RTH	Ripper Tooth	12
BH / AGR	Augers	12
BH / PLG	Polyp Grabs	13
BH / GRK	Ground Rake	_ 13
BH / KCF	Block Clamps	14
BH / AX2	Crane Hooks	_ 14

From Forks to Augers and broom to blowers,
WAGGER ATTACHMENTS Keep You
Productive All Year Round



INDEX


LOADER ATTACHMENTS

BL - HSL	Quick Coupler - Loader	15
BL - GMK	General Purpose Buckets - Heavy Duty	16
BL - HMK	General Purpose Buckets - Light Material	16
BL - FMK-H	4 in 1 Multipurpose Buckets - Heavy Duty	17
BL - FMK-L	4 in 1 Multipurpose Buckets - Light Material	17
BL - CBK	Grab Buckets	18
BL - YMK	Fork with Grabs	18
BL - TTK-R	Skeleton Buckets - For Rocks	19
BL - TTK-P	Skeleton Buckets - For Potatoes	19
BL - BKK	Concrete Mixer Buckets	20
BL-FDK	High Dump Buckets	20
BL - SDK	Side Dump Buckets	21
BL - YKR-B	Bull Blade - Grain Pusher	21
BL - YKR-S	Snow Blade	22
BL - YKR-V	V Type Snow Blade	22
BL - YKR-D	Dozer Blade	23
BL - SPR-C 430 _	Sweepers	23
BL - SPR-C 630 _	Sweepers	24
BL - CHB4	Haypick Bale	24
BL - CSB	Silage Bale Clamps	25
	Log Grab with Forks	25
BL - GRP 3/2	Recyling Grap	26
BL-TSA	Tree Spades	26
BL - SST	Salt Spreader	27
BL - SRC	Rotor on Flame	27
BL - NKD	Grabbing Tool - For Landscaping	28
BL - FCY	Forklift Forks and Side Shifter	28
BL - AX1	Crane Hooks	29
BL - BB 2/4	Big Bag	29
BL - CT	Forklift Forks on Buckets	30











Model No	Part No	Operation	Weight
BH001HSB	410101	Manual	98 kg

- Quick Coupler allows fast switching of attachments. It ensures time saving and reduces operator effort when attachment switches.
- Jaws are wear resistant. It provides full compatibility with the attachment.









- This bucket is for general purpose use. Production is made in different sizes depending on the requirements.
- Replaceable wear parts increase durability and extend the operating life.
- The sizes produced are indicated on the table.

Model No	Part No	Width (mm)	Capacity (m³)	Weight (kg)
BH030GPH	410201	305	0,07	107
BH040GPH	410202	405	0,1	112
BHO45GPH	410203	450	0,12	116
BH050GPH	410204	500	0,14	122
BH060GPH	410205	600	0,17	138
BH080GPH	410206	800	0,24	169





FEATURES & BENEFITS

- This bucket is designed to maximize maximum breakout and material retention efficiency.
- Additional wear strips attached to the back of the shell provide additional strength and stiffness.
- The sizes produced are indicated on the table.

8

Model No	Part No	Width (mm)	Capacity (m³)	Weight (kg)
BH030GPG	410301	305	0,07	118
BHO40GPG	410302	405	0,1	121
BH045GPG	410303	450	0,12	127
BH050GPG	410304	500	0,14	139
BH060GPG	410305	600	0,17	158
BH080GPG	410306	800	0,24	197












- Designed and manufactured in accordance with the machine's capacity.
- Trench maintenance buckets have drainage holes that reduce weight and density during operation.
- Drainage holes on ditch maintenance buckets allow water to escape, give a better filling factor.

Model No	Part No	Width (mm)	Capacity (m3)	Weight
BH008DMB	410401	1000	0,09	94
BH012DMB	410402	1200	0,13	119
BH021DMB	410403	1520	0,21	155
BH026DMB	410404	1800	0,27	176





FEATURES & BENEFITS

- The tapered ditching beko bucket is the ideal tool to help maintain ditches and drains.
- Enables simple formation of ditches and drains.
- Replaceable wear parts increase durability and extend the operation life.

Model No	Part No	Width (mm)	Capacity (m³)	Weight
BH014TDB	410501	1100 / 200	0,14	122
BH039TDB	410502	1600 / 300	0,39	196



www.wagger.com.tr







- Grading buckets: the perfect tool for bank forming and landscaping.



FEATURES & BENEFITS

- The jaw bucket is designed for versatile operation.
- One attachment, two features; a standard bucket and a powerful hydraulic jaw.

Model No	Part No	Width (mm)	Capacity (m³)	Weight
BH020GBK	410601	1520	0,2	155
BH025GBK	410602	1800	0,25	179

Model No	Part No	Width (mm)	Capacity (m ³)	Weight
BH020JBK	410701	600	0,2	296











11

FEATURES & BENEFITS

- The swinger bucket allows operation without the need to keep repositioning the machine.
- This attachment is ideal for use in sloping areas.
- Right and left movable through 90°.

Model No	Part No	Width (mm)	Capacity (m³)	Weight
BH020SBK	410801	1520	0,2	352





FEATURES & BENEFITS

- Concrete breaker is used for concrete, rock and asphalt crushing work.
- Turn your Bekoloader into a powerful demolition machine with concrate brakes.

Model No	Part No	Tool Diameter (mm)	Carrier Weight (t)	Weight
BHOO1CTA	410901	95	6,5 - 13,0	330 - 460













Part No


411001

Model No

BHOO1RTH

FEATURES & BENEFITS

- Breaks up hard surfaces such as frozen or compacted earth, concrete or tarmac.



120



610




FEATURES & BENEFITS

- The auger is use for drilling to a variety of diameters and depths.
- The auger is effective in the erecting of fence, poles, anchors, road signs and planting trees.

Model No	Part No	Torque (Nm)	Max flight dia. (mm)	Weight
BHOO1AGR	411101	6000	900	140













- Polyp grab is used for transporting and loading metal, plastic and similar scrap.



FEATURES & BENEFITS

- Ground rake is used for such things as rake the soil, air the soil, remove the stones.

Model No	Part No	Open Dia. (mm)	Capacity (lt)	Weight
BH080PLP	411201	1200	80	185

100		





13 www.wagger.com.tr www.w









- Kerbmaster is used for positioning paving stones quickly and precisely.
- Offered with the option of manual or hydraulic rotation for ease in use.



FEATURES & BENEFITS

- Crane Hooks is used for materials that need to be transported by hanging.
- Crane Hooks is used by attaching to the fork of the vehicle.

Model No	Part No	Grab Opening (mm)	Capacity (kg)	Weight	
BHOO1KCF	411401	170	180	175	

Model No	Part No	Capacity (kg)	Weight (kg)
BH020AX2	411501	2000	120







BACKHOE LOADER

Quick Coupler - Loader








Model No	Part No	Operation	Weight
BL001QHT	420101	Manual	155

FEATURES & BENEFITS

- Quick Coupler allows fast switching of attachments. It ensures time saving and reduces operator effort when attachment switches.














- Heavy Duty Bucket is used for transporting high specific weight materials such as sand, gravel and mine.
- Made of high strength steel.



FEATURES & BENEFITS

- Wagger's 4-in-1 Bucket incorporates high-strength steel to provide a multi-purpose attachment suitable for various applications.
- The attachments can be used as buckets, clamps, graders, and diggers. Serrated edges provide extra grip when clamping.
- Ideal for use on Telehandlers, backhoe Loaders, or Skidsteers, the Wagger 4-in-1 bucket utilizes high-capacity hydraulic cylinders and high-grade pins for long operating life.

16

Model No	Part No	Width (mm)	Capacity (m3)	Weight (kg)
BL080GMK	420201	2400	0,8	410
BL100GMK	420202	2400	1	435
BL120GMK	420203	2400	1,2	468



Model No	Part No	Width (mm)	Capacity (m³)	Weight (kg)
BL150FMK	420301	2400	1,5	536
BL180FMK	420302	2400	1,8	580
BL200FMK	420303	2400	2	625













18



FEATURES & BENEFITS

- Grab bucket is a versatile bucket attachment used for transportation of fertilizer in livestock enterprises, transportation of cotton ginning facilities to cotton feed unit, transportation of waste paper, plastic and similar scraps in recycling companies.



FEATURES & BENEFITS

- This attachment makes it possible to transport the scattered agricultural, animal and industrial products by means of the hydraulic arms.

Model No	Part No	Width (mm)	Capacity (m ³)	Weight (kg)
BL120CBK	420601	2400	1,2	695
BL150CBK	420602	2400	1,5	746

THE RESERVE THE PARTY OF THE PA	
THE RESERVE OF THE PERSON OF T	
	100
THE RESIDENCE OF THE PARTY OF T	
STATE OF THE STATE	
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
The state of the s	


Model No	Part No	Width (mm)	Capacity (m³)	Weight (kg)
BL120YMK	420701	2100	1,2	565
BL150YMK	420702	2400	1,5	624











- Skeleton bucket is a bucket designed to pick up rocks and leave excess dirt or sand behind.
- Ideal for field rock picking, construction as well as general clean up, landscaping, and more.




FEATURES & BENEFITS


- Skeleton bucket is a bucket designed to pick up sugar beet and potato and leave excess dirt or sand behind.
- Ideal for sugar beet and potato, construction as well as general clean up, landscaping, and more.

Model No	Part No	Width (mm)	Capacity (m3)	Weight (kg)
BL080TKR	420801	2300	0,8	290
BL100TKR	420802	2300	1	321
BL120TKR	420803	2400	1,2	345



Model No	Part No	Width (mm)	Capacity (m3)	Weight (kg)
BL150TPK	420901	2500	1,5	470
BL200TPK	420902	2500	2	506













- Concrete Mixer Bucket allows you to prepare concrete mix easily.
- At the top, there is a toothed cover for cutting the cement bag. In this way, the cement is easily filled in the bucket.
- At the bottom of the bucket there is a lid and a pipe to drain the concrete mix.

Model No	Part No	Width (mm)	Capacity (m3)	Weight (kg)
BL080BKK	421001	2300	0,8	880
BL100BKK	421002	2300	1	910







FEATURES & BENEFITS

- The High Dump Bucket has a structure that provides more height while draining a load.
- This provides more access to the dumping area.

Model No	Part No	Width (mm)	Capacity (m³)	Weight (kg)
BL100FDK	421101	2300	1	588













- Side Dump Bucket is used to pour material to forward and sideways.
- Side Dump Bucket is suitable for work site with narrow space, such as tunnels, highways and etc.



FEATURES & BENEFITS

- It is used for pushing lightweight materials.
- There is cast polyamide in front of the mouth blade.

Model No	Part No	Width (mm)	Capacity (m3)	Weight (kg)
BL100SDK	421201	2500	1	825















22



FEATURES & BENEFITS

- Snow Blade is used for snow plowing and cleaning jobs.
- Snow Blade can be used with 30 ° right and left angles.
- Snow Blade wear blades are interchangeable.



FEATURES & BENEFITS

- Snow piles are easily distributed to the right and to the left.
- V-Type Snow Blade wear blades are interchangeable.

Model No	Part No	Width (mm)	Height (mm)	Weight (kg)
BL300HSB	421401	3000	1050	885

及直翻	







C 430

BACKHOE LOADER
Angle Broom





FEATURES & BENEFITS

- Dozer Blade is designed for use on rough floors such as dirt and gravel.
- Dozer Blade is better suited for finishing work in construction and landscaping applications.
- Dozer Blade wear blades are interchangeable.



FEATURES & BENEFITS

- Ideal for clearing parking lots, industrial plants, mill yards, airport runways, streets, driveways and lanes.
- Angles hydraulically or manually 30° left or right; will also clean in straight position.
- Standart broom material is made of replaceable polypropylene or steel wire sections.

Model No	Part No	Width (mm)	Height (mm)	Weight (kg)
BL250YKD	421601	2500	1050	740





C 630

BACKHOE LOADER

Sweepers









FEATURES & BENEFITS

- Ideal for cleaning and removing dirt, snow and other debris from streets, parking lots, driveways, sidewalks and factory floors.
- Large hopper capacity allows greater productivity with longer sweeping cycles.
- Standart broom material is made of replaceable polypropylene or steel wire sections.
- Waterless, waterless-corner broom, waterly and waterly-corner broom options available.

Model No	Part No	Width (mm)	Water Kit	Weight (kg)
BLC630	421801	2800	Optional	685






FEATURES & BENEFITS

- Haypick Bale is used for stacking of pressed hay bale.
- Height adjustment can be calibrated with movable upper brace arms.
- The lower part is movable. In this way, the spears are easily separated from the hay bales.

Model No	Part No	Width (mm)	Capacity (kg)	Weight (kg)
DI DOCCUDA	421001	1000	2000	205
BL200CHB4	421901	1800	2000	295











- Silage Bale Clamps are used for stacking and transporting silage bales.
- Silage Bale Clamps allows easy movement of packaged silage bales without tearing.



FEATURES & BENEFITS

- Log Grab allows you to store logs easily and safely.

Model No	Part No	Opening (mm)	Capacity (kg)	Weight (kg)
BL816CSB	422001	800 - 1600	1200	298

Model No	Part No	Opening (mm)	Capacity (kg)	Weight (kg)	
BL260TGA	422101	220 - 1800	2600	560	











26



FEATURES & BENEFITS

- Recycling Grab is used for stacking recycling bales.
- This attachment holds the under side of the bale and prevents it from disintegrating.



FEATURES & BENEFITS

- Tree Spades is suitable for landscaping and gardening work.
- With Tree Spades, trees can be easily removed, transported, stacked and sewed again.

Model No	Part No	Opening (mm)	Capacity (kg)	Weight (kg)
BL430GRP	422201	600 - 1900	2600	615



Model No	Part No	Diameter (mm)	Capacity (kg)	Weight (kg)
BL004TSA	422301	340	0,04	335
BL014TSA	422302	480	0,14	628
BL021TSA	422303	480	0,21	645
BLO47TSA	422304	650	0,47	872










FEATURES & RENEEITS

- Silage Cutter, allows to cut off the silage stacks.
- Silage Cutter has a great precaution for animal health.

Model No	Part No	Width (mm)	Weight (kg)
BL001SRC	422501	2400	720





7 www.wagger.com.tr











- Grabbing Tool for Landscaping is especially suited for lifting of plant and tree pots.
- Easiest way to lift and transport plants, trees, barrels etc. without damaging them.



FEATURES & BENEFITS

- Forklift Forks and Side Shifter is suitable for transporting palletized materials in all kinds of work areas.
- The Side Shifter allows the pallet to be moved to the left or right without moving the vehicle.

Model No	Part No	Opening (mm)	Capacity (kg)	Weight (kg)
BL120NKD	422501	250 x 1250	1200	295
BL150NKD	422502	250 x 1500	1500	330



Model No	Part No	Width (mm)	Capacity (kg)	Weight (kg)
BL035FCY	422701	1200	3500	260











- This attachment is used for big bag transport.
- There are 4 big bag hanging points.

Model No	Part No	Capacity (kg)	Weight (kg)
BL240BB	422901	2000	255





- It is used by assembling on the bucket.

- Production is made according to the brand.



Model No	Part No	Dealer	Capacity (kg)	Weight (kg)
BL200JCB	423001	JCB	2000	159
BL200KMT	423002	KOMATSU	2000	215
BL200TRX	423003	TEREX	2000	157
BL200VLV	423004	VOLVO	2000	158
BL200HRK	423005	HIDROMEK	2000	154
BL200NHD	423006	NEW HOLLAND	2000	162
BL200CSE	423007	CASE	2000	164
BL200CKR	423008	ÇUKUROVA	2000	172
BL200CAT	423009	CAT	2000	156
BL200MST	423010	MST	2000	163







BACKHOE LOADER ATTACHMENTS



GULMAK ISTIF MAKINALARI SAN. VE TIC. LTD. ŞTI. Yesiloba Mah. Orta Olcekli Sanayi Sitesi 46247 Sokak No:17 Seyhan / ADANA / TURKEY Phone: +90 (322) 428 08 58 - 428 08 97 Fax: +90 (322) 428 09 25 Web: www.wagger.com.tr E-mail: info@wagger.com.tr