

# SKID-STEER **LOADER** Attachments Catalog



# Save your mone

Gülmak İstif Makinaları was founded by Selim Gül in 1968 to provide maintenance activities for forklift trucks and construction machineries.

Defining it is product sections under the brand name of "Wagger Attachments" in 2004, the company gained speed that enable itself to offer quality forklift and telehandler attachments in local and global markets of material handling sector. Wagger has a company vision of finding cost effective solutions for its customers with a short lead time by aiming the satisfaction of its customers, dealers and employees. Today Wagger Attachments is still a family running business and is proud of being the leader attachment manufacturer in Turkey.



















**Board & Forks** 

Buckets

Pusher & Blades

**Sweepers** 

Landscaping

Haybale & Sillage

Backhoe





From Forks to Augers and Buckets to Brooms, WAGGER

**TSA** 

**AGR** 

#### **INDEX**

## **BOARDS & FORKS**

OSL / FBA	Pallet Forks
SSL / FBB	Pallet Forks
SSL / YKX	Side Shifter
SI. / FXP	Fork Positioner

SSL / FAP	FOIR POSITIONE!	6
BUCKETS		
SSL / GMK	General Purpose Bucket	7
SSL / HMK	Light Material Bucket	7
SSL / MMK	Multi Function Bucket	8
SSL / FMK	4 in 1 Multipurpose Bucket	9
SSL / YMK-A	Scrap Grapples	10
SSL / YMK-E	Manure Forks	10
SSL / TTK	Skeleton Bucket	11
SSL / BKK	Concrate Mixer Bucket	11
SSL / SDK	Side Dump Bucket	12
SSL / FDK	High Dump Bucket	12
PUSHER & BLA	ADES	

#### **INDEX**

#### **SWEEPERS**

SSL / C130	Brush Attachment	
SSL / C230	Corner Brush	
SSL / C430	Angle Broom	
SSL / C530	Collector Broom	
HAYBALE & SI	LLAGE	
COL / ED C	D I C	

33L   FDC	bale spears	10
SSL / CHB	Bale Spears	18
SSL / CSB	Round Bale Clamp	19

#### LANDSCAPING

SSL / NKD	Grabbing Tool	19
•	8	

#### **BACKHOE**

SSL / RRA	Backhoe		2
,			

#### TREE SPADES

SSL / TSA	Tree Spades	
,		

14 15

AUGER				
SSL / AGR	Auger			2.2

#### SSL / YKB Snow Blade

SSL / YKR-S Snow Pusher \_\_\_

SSL / YKA Light Material Plough \_\_

•	
SSL / YKD	V Type Snow Blade
SSL / YKC	Dozer Blade

### ATTACHMENTS Keep You Productive All Year Round















- Used for a variety of material handling needs, such as moving bulky or palletized materials on construction and industrial sites, handling bagged fertilizer and seed at landscaping and nursery sites, and similar jobs.
- Loadguard offers superior strength while the flat surface provides protection against damaging the load.
- Loadguard design allows excellent see through visibility to the end of the forks.
- The side shifter and other attachments can not be mounted on this attachment.

Model No	Part No	Fork Lenght (mm)	Fork Dimension (mm)	ISO 2328	Weight
SSL / FBA	840135	1150	80x40x1150	2A	192
SSL / FBA	840136	1200	80x40x1200	2A	205





Pallet Forks

**FBB** 

**SKID STEER LOADER** 

- Used for a variety of material handling needs, such as moving bulky or palletized materials on construction and industrial sites, handling bagged fertilizer and seed at landscaping and nursery sites, and similar jobs.
- Loadguard offers superior strength while the flat surface provides protection against damaging the load.
- Loadguard design allows excellent see through visibility to the end of the forks.
- The side shifter, fork positioner and some attachments can be mounted on this attachment.

Model No	Part No	Board Width (mm)	Fork Dimension (mm)	ISO 2328	Weight
SSL / FBB	830235	1100	80x40x1150	2A	227
SSL / FBB	830236	1200	80x40x1200	2A	238













- Used to move the load to the left or right without playing the vehicle.
- Production is made from S profile.
- Works with 1 hydraulic function.
- Load backrest is excluded and forks.
- It moves 100 mm right and left.



#### EATURES & BENEFITS

- You can use it to position the forks according to the pallet size.
- Works with 2 hydraulic functions.
- Side shifter feature available.
- Load backrest is excluded.
- The forks are included.

#### \*Without Forks

Model No	Part No	Board Width (mm)		ISO 2328	Weight
SSL / YKX	820335	920	-	2A	140
SSL / YKX	820336	1020	-	2A	155



#### \*\*With Forks

Model No	Part No	Board Width (mm)	Fork Dimension (mm)	ISO 2328	Weight
SSL / FXP	810435	1020	80x40x1150	2A	270
SSL / FXP	810436	1100	80x40x1200	2A	280









- Designed for digging, loading, carrying, leveling, grading and dumping in a variety of applications and materials.
- These all general purpose buckets are ideal for construction, landscaping, industrial.
- Range of sizes and capacities from 0,35 m<sup>3</sup> to 0,50 m<sup>3</sup> capacity.
- Options: tooth, cutting edge.

Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / GMK	490135	0,35	1370	535	207
SSL / GMK	490136	0,37	1520	535	221
SSL / GMK	490137	0,39	1680	535	240
SSL / GMK	490138	0,41	1730	535	245
SSL / GMK	490139	0,43	1830	535	255
SSL / GMK	490140	0,45	1910	535	263
SSL / GMK	490141	0,47	1980	535	270
SSL / GMK	490142	0,50	2130	535	285









- This buckets designed to handle low density materials such as mulch, wood chips, dry topsoil, fertilizer, livestock feed and snow.
- Range of sizes and capacities from 0,50 m³ to 1.50 m³ capacity.

Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / HMK	480235	0,50	1800	690	243
SSL / HMK	480236	0,60	1930	690	256
SSL / HMK	480237	0,75	2060	727	270
SSL / HMK	480238	1,00	2130	727	276
SSL / HMK	480239	1,20	2330	727	297
SSL / HMK	480240	1,50	2440	727	308
















Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / FMK	460435	0,23	1350	723	350
SSL / FMK	460436	0,28	1400	723	405
SSL / FMK	460437	0,35	1575	723	460
SSL / FMK	460438	0,45	1680	723	530
SSL / FMK	460439	0,50	1730	723	585
SSL / FMK	460440	0,55	1830	723	640
SSL / FMK	460441	0,60	1980	723	695
SSL / FMK	460442	0,65	2130	723	720

- Ideal for digging, dozing, clamping, back dragging, grading and leveling in construction, landscaping, industrial and demolition applications.
- Excellent clamping force lets you grasp large, irregularly shaped objects such as trees, loose stumps, brush, recycling debris and pipe, increasing the versatility of the machine.



Scrap Grapples





SKID STEER LOADER
Manure Forks





#### FEATURES & BENEFITS

- The scrap grapple is an excellent tool for handling irregularly shaped materials in construction and industrial applications.
- The solid bottom bucket and dual, independent clamp design holds trash, scrap and bulky materials securely in place.



#### FEATURES & BENEFITS

- The manure fork with grapple is ideal for handling hay and manure as well as cleaning up brush and limbs.
- Grapple clamps hold load in place, reducing spillage while transporting material.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YMA	450535	1680	835	519
SSL / YMA	450536	1830	835	550
SSL / YMA	450537	1980	835	580
SSL / YMA	450538	2080	835	620



Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YME	440635	1680	809	313
SSL / YME	440636	1830	809	352
SSL / YME	440637	1980	809	364
SSL / YME	440638	2080	809	385














- Skeleton bucket is a bucket designed to pick up rocks and leave excess dirt or sand behind.
- Ideal for field rock picking, construction as well as general clean up, landscaping, and more.



#### FEATURES & BENEFITS

- Cement bag breakers on top of mixing bucket grate allow for easy breaking and addition of bagged materials.
- Hydraulically controlled chute door allows material to be dispensed all from the cab of the host machine.
- The bucket is emptied from the bottom hatch in the middle of the bucket.
- The bucket is also equipped with a flexible emptying tube which mounts on the bottom hatch.

Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / TTK	430735	0,35	1520	1320	310
SSL / TTK	430736	0,40	1680	1320	330



Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / BKK	420835	0,30	1520	957	650





- Side dump bucket can achieve front jobs and side jobs, which can dump material at any positons according to jobsite requests by adjusting the cylinder of the side discharge.
- Suitable for work site with narrow space, such as tunnels, highways and etc.

Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / SDK	410935	0,40	1920	708	390









#### FEATURES & BENEFITS

- The high dump bucket has a structure that provides more height when draining a load.
- This provides more access to the unloading area.


Model No	Part No	Capacity (m3)	Width (mm)	Height (mm)	Weight
SSL / FDK	400216	0,30	1525	681	324





- Lightweight materials are used for pushing.
- All models have replaceable wear edges.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YKA	740135	1680	503	265
SSL / YKA	740136	1830	503	273
SSL / YKA	740137	2080	503	286
SSL / YKA	740138	2130	503	290









#### FEATURES & BENEFITS

- Efficiently move large volumes of snow and waste.
- All models feature reversible and replaceable wear shoes.
- It is perfect for parking lots, roads and buildings.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YKS	700535	1980	973	504
SSL / YKS	700536	2130	973	510
SSL / YKS	700537	2280	973	523
SSL / YKS	700538	2480	973	537













- Designed for rough and finish grading in dirt and gravel as well as for light dozing.
- Blades angle 30 degrees to either side to help move snow where you want it.
- All models have replaceable wear edges and springs.

#### FEATURES & BENEFITS

- Plow through the deepest drifts and push large piles of snow with the snow V-blade attachment.
- Snow piles are easily distributed to the right and to the left.
- Blade is easly adjusted using an electric over hydraulic controller.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YKB	730235	1980	708	280
SSL / YKB	730236	2130	708	295
SSL / YKB	730237	2280	708	335
SSL / YKB	730238	2480	708	445



Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YKV	710435	2430	835	390










- Designed for rough and finish grading in dirt and gravel as well as for light dozing.
- It can be adjusted to 30 degrees right and left and 10 degrees up and down.
- All models have replaceable wear edges.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / YKD	720335	1980	780	800
SSL / YKD	720336	2280	780	847
SSL / YKD	720337	2480	780	877





### C130 SKID STEER LOADER Brush Attachment



FEATURES & BENEFITS

- A robust high performance sweeping attachment for all your interior and exterior sweeping needs.

- The brush attachment are fast and easy to connect to skid steer loaders for fast and efficient floor cleaning in all industrial, recycling and agricultural areas.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / C130	950135	1500	358	220
SSL / C130	950136	2500	358	366









#### FEATURES & BENEFITS

- It can be adjusted angled and is suitable for corner sweeping.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / C230	940235	1200	919	269









- Ideal for clearing parking lots, industrial plants, mill yards, airport runways, streets, driveways and lanes.
- Angles hydraulically or manually 30 degrees left or right; will also clean in straight position.
- Parking supports provide stable and secure parking of the unit.
- Standard broom material is made of replaceable polypropylene or steel wire sections.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / C430	930335	1980	776	340
SSL / C430	930336	2280	776	365
SSL / C430	930337	2480	776	392





#### FEATURES & BENEFITS

- Ideal for cleaning and removing dirt, rock, snow and other debris from streets, parking lots, driveways, sidewalks and factory floors.
- Large hopper capacity allows greater productivity with longer sweeping cycles.
- Rubber boots on front and sides of broom aid in containing debris and airborne contaminants during sweeping.
- Standard broom material is made of replaceable polypropylene or steel wire sections.
- Waterless, waterless-corner broom, waterly and waterly-corner broom options available.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / C530	920435	1470	605	422
SSL / C530	920436	1710	605	440
SSL / C530	920437	1980	605	458
SSL / C530	920438	2160	605	491













- Bale spears are designed and built to lift, transport and stack round bales of organic materials.
- Constructed of a heavy-duty frame with replaceable tines.
- The location of the spears can be adjusted.



#### FEATURES & BENEFITS

- Bale spears are designed and built to lift, transport and stack round bales of organic materials.
- Constructed of a heavy-duty frame with replaceable tines.
- Location of the spear is fixed.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / FBC	330135	1420	930	170



Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / CHB2	320235	1200	1120	113














- It is used for conveying and stacking of round bale.
- It allows the packed round bale to move easily without tearing.



#### FEATURES & BENEFITS

- It is especially suited for lifting of plant and tree pots.
- Easiest way to lift and transport plants, trees, barrels etc. without damaging them.

Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / CSB	310335	1210	712	386



Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / NKD	444635	1490	300	289







- This attachment is powerful enough to handle full-time excavating jobs.
- Completion of excavation works in landscaping areas, sewerage and foseptic digging, complex water and energy line maintenance are suitable for such jobs.


Model No	Part No	Width (mm)	Height (mm)	Weight
SSL / RRA	777135	1210	610	267























- Augers provide high torque allowing you to drill with speed and precision in the toughest of ground conditions.

- Heavy-duty planetary gear reduction design provides long life with minimal service and maintenance costs.





# SKID-STEER **LOADER**





GULMAK ISTIF MAKINALARI SAN. VE TIC. LTD. ŞTI. Yesiloba Mah. Orta Olcekli Sanayi Sitesi 46247 Sokak No:17 Seyhan / ADANA / TURKEY Phone: +90 (322) 428 08 58 - 428 08 97 Fax: +90 (322) 428 09 25

Web: www.wagger.com.tr E-mail: info@wagger.com.tr